



碧云天生物技术/Beyotime Biotechnology
订货热线: 400-168-3301或800-8283301
订货e-mail: order@beyotime.com
技术咨询: info@beyotime.com
网址: http://www.beyotime.com

Western及IP细胞裂解液

产品编号	产品名称	包装
P0013	Western及IP细胞裂解液	100ml

产品简介:

- Western及IP细胞裂解液(Cell lysis buffer for Western and IP), 是一种在非变性条件下裂解细胞的裂解液。本细胞裂解液裂解的细胞, 可以用于PAGE, Western, 免疫沉淀(immunol precipitation, IP)、免疫共沉淀(co-IP)和ELISA等。
- Western及IP细胞裂解液的主要成分为20mM Tris (pH 7.5), 150mM NaCl, 1% Triton X-100, 以及sodium pyrophosphate, β -glycerophosphate, EDTA, Na_3VO_4 , leupeptin等多种抑制剂。可以有效抑制蛋白的降解, 并维持原有的蛋白间相互作用。
- 用Western及IP细胞裂解液裂解得到的蛋白样品, 可以用碧云天生产的BCA蛋白浓度测定试剂盒(P0009/P0010/P0010S/P0011/P0012/P0012S)测定蛋白浓度。由于含有较高浓度的Triton X-100等干扰物质, 不能用Bradford法测定由本裂解液裂解得到样品的蛋白浓度。

包装清单:

产品编号	产品名称	包装
P0013	Western及IP细胞裂解液	100ml
—	说明书	1份

保存条件:

-20°C保存, 一年有效。

注意事项:

- 为取得最佳的使用效果, 尽量避免过多的反复冻融。可以适当分装后使用。
- 需自备PMSF。PMSF(ST506)可以向碧云天订购。
- 裂解样品的所有步骤都需在冰上或4°C进行。
- 关于裂解液的选择, 一方面可以参考碧云天的相关网页: <http://www.beyotime.com/support/lysis-buffer.htm>选择合适的裂解液; 另一方面也需要通过一些预实验来摸索最佳的适合您实验条件的裂解液。
- 本产品仅限于专业人员的科学研究用, 不得用于临床诊断或治疗, 不得用于食品或药品, 不得存放于普通住宅内。
- 为了您的安全和健康, 请穿实验服并戴一次性手套操作。

使用说明:

对于培养细胞样品:

1. 融解Western及IP细胞裂解液, 混匀。取适当量的裂解液, 在使用前数分钟内加入PMSF, 使PMSF的最终浓度为1mM。
2. **对于贴壁细胞:** 去除培养液, 用PBS、生理盐水或无血清培养液洗一遍(如果血清中的蛋白没有干扰, 可以不洗)。按照6孔板每孔加入100-200微升裂解液的比例加入裂解液。用枪吹打数下, 使裂解液和细胞充分接触。通常裂解液接触细胞1-2秒后, 细胞就会被裂解。
对于悬浮细胞: 离心收集细胞, 用手指把细胞用力弹散。按照6孔板每孔细胞加入100-200微升裂解液的比例加入裂解液。再用手指轻弹以充分裂解细胞。充分裂解后应没有明显的细胞沉淀。如果细胞量较多, 必需分装成50-100万细胞/管, 然后再裂解。大团的细胞较难裂解充分, 而少量的细胞由于裂解液容易和细胞充分接触, 相对比较容易裂解充分。
3. 充分裂解后, 10000-14000g离心3-5分钟, 取上清, 即可进行后续的PAGE、Western、免疫沉淀和免疫共沉淀等操作。
裂解液用量说明: 通常6孔板每孔细胞加入100微升裂解液已经足够, 但如果细胞密度非常高可以适当加大裂解液的用量到150微升或200微升。每100万细胞用100微升本产品裂解后获得的上清, 其蛋白浓度约为2-4mg/ml, 不同细胞有所不同。

对于组织样品:

1. 把组织剪切成细小的碎片。
2. 融解Western及IP细胞裂解液, 混匀。取适当量的裂解液, 在使用前数分钟内加入PMSF, 使PMSF的最终浓度为1mM。
3. 按照每20毫克组织加入100-200微升裂解液的比例加入裂解液。(如果裂解不充分可以适当添加更多的裂解液, 如果需要高浓度的蛋白样品, 可以适当减少裂解液的用量。)
4. 用玻璃匀浆器匀浆, 直至充分裂解。
5. 充分裂解后, 10000-14000g离心3-5分钟, 取上清, 即可进行后续的PAGE、Western、免疫沉淀和免疫共沉淀等操作。每20mg冻存的小鼠肝脏组织用200微升本裂解液裂解后获得的上清, 其蛋白浓度约为15-25mg/ml, 不同状态的不同组织有所不同。
6. 如果组织样品本身非常细小, 可以适当剪切后直接加入裂解液裂解, 通过强烈vortex使样品裂解充分。然后同样离心取上清,

用于后续实验。直接裂解的优点是比较方便，不必使用匀浆器，缺点是不如使用匀浆器那样裂解得比较充分。

附录：碧云天生产的各种裂解液主要特点、差异和选择

首先请参考下表，了解各种裂解液的主要特点和差异。

产品编号	P0013	P0013B	P0013C	P0013D	P0013F	P0013G	P0013J	P0013K
产品名称	Western及IP细胞裂解液	RIPA裂解液(强)	RIPA裂解液(中)	RIPA裂解液(弱)	NP-40裂解液	SDS裂解液	Western及IP细胞裂解液(无抑制剂)	RIPA裂解液(强, 无抑制剂)
有效裂解成分	1% Triton X-100	1% Triton X-100, 1% deoxycholate, 0.1% SDS	1% NP-40, 0.5% deoxycholate, 0.1% SDS	1% NP-40, 0.25% deoxycholate	1% NP-40	1% SDS	1% Triton X-100	1% Triton X-100, 1% deoxycholate, 0.1% SDS
裂解强度	温和	强	中	温和	温和	强	温和	强
对膜蛋白的提取	一般	很好	较好	一般	一般	很好	一般	很好
对胞浆蛋白的提取	很好	很好	很好	很好	很好	很好	很好	很好
对核蛋白的提取	较好	很好	较好	较好	较好	很好	较好	很好
胞浆磷酸化蛋白提取	很好	很好	很好	很好	很好	很好	很好	很好
细胞核转录因子提取	很好	很好	很好	很好	很好	很好	很好	很好
含蛋白酶抑制剂	是	是	是	是	是	是	否	否
含磷酸酯酶抑制剂	是	是	是	是	是	是	否	否
主要用途	WB, IP, co-IP	WB, IP	WB, IP	WB, IP, co-IP	WB, IP, co-IP	WB, ChIP	WB, IP, co-IP	WB, IP

- 用于普通的Western、IP或co-IP，我们推荐使用Western及IP细胞裂解液(P0013)，该裂解液已被国内各大研究机构广泛使用，发表大量SCI论文，用户普遍反映很好。裂解细胞或组织后，没有非常粘滞的透明状DNA团块形成，不必采用超声处理等就可以非常理想地用于后续操作。另外该裂解液裂解的产物也适合用于磷酸化蛋白的Western检测。
- 对于某些特殊蛋白的IP，如果发现Western及IP细胞裂解液(P0013)效果不是非常理想，可以尝试用RIPA裂解液(强、中或弱)或NP-40裂解液。如果发现IP的时候背景很高，即非特异的蛋白也被IP下来，则需要选用裂解强度较高的裂解液，例如RIPA裂解液(强或中)。如果发现目的蛋白无法被IP下来，则说明裂解液的强度过强，可以使用较为温和的裂解液例如RIPA裂解液(弱)或NP-40裂解液。
- 对于某些难溶解蛋白的Western，如果发现Western及IP细胞裂解液(P0013)效果不是非常理想，可以尝试使用裂解强度更高的裂解液例如RIPA裂解液(强、中)或SDS裂解液。使用RIPA裂解液(强)的用户也非常多，发表了大量SCI论文。
- 用于特定用途需要自行添加特定抑制剂或不需要添加抑制剂时，可以考虑选购P0013J或P0013K。P0013J在很多时候可以兼容酶活性和生物小分子的检测，对于特定的酶或生物小分子的检测是否兼容需要自行测试，碧云天不提供具体的应用信息。P0013J的裂解能力比P0013K弱一些，但用于酶活性和生物小分子时，P0013J的兼容性通常会更好一些。

使用本产品的文献：

- Zhang X, Chen S, Wang Y. Honokiol up-regulates prostacyclin synthase protein expression and inhibits endothelial cell apoptosis. *Eur J Pharmacol.* 2007 Jan 5;554(1):1-7.
- Cheng BQ, Geng Y, Wu JB, Jiang B. Influences of inhibiting Galectin-3 by RNA interference technique on the proliferation and apoptosis of human colorectal cancer cells LOVO. *Journal of Clinical Rehabilitative Tissue Engineering Research.* 2007;Vol 11(16):3104-3107.
- Dong X, Wang JN, Huang YZ, Guo LY, Kong X. Cell - penetra ting Peptide PEP - 1 - med ia ted Tran sduction of Enhanced Green Fluorescen t Prote in in to Human Aortic SmoothMuscle Cells. *J YMC.*2007 Apr;26(2):71.
- Zhang XT, Song TB, Du BL, Li DM, Li XM. Caspase-3 antisense oligodeoxynucleotides inhibit apoptosis in gamma-irradiated human leukemia HL-60 cells. *Apoptosis.* 2007 Apr;12(4):743-51.
- Deng XQ, Chen LL, Li NX. The expression of SIRT1 in nonalcoholic fatty liver disease induced by high-fat diet in rats. *Liver Int.* 2007 Jun;27(5):708-15.
- Dong S, Li C, Wu P, Tsien JZ, Hu Y. Environment enrichment rescues the neurodegenerative phenotypes in presenilins-deficient mice. *Eur J Neurosci.* 2007 Jul;26(1):101-12.
- Shen Y, Yang X, Dong N, Xie X, Bai X, Shi Y. Generation and selection of immunized Fab phage display library against human B cell lymphoma. *Cell Res.* 2007 Jul;17(7):650-60.
- Cheng BQ, Gong W, Geng Y, Chen L, Wu JB, Jiang B. Study of relationship between expression of galectin-3 and malignant degree of colorectal cancer in differential pathologic stage. *China Journal of Modern Medicine.* 2007 Jul;Vol 17(13):1585-1591.
- Chen Y, Sun R, Jiang W, Wei H, Tian Z. Liver-specific HBsAg transgenic mice are over-sensitive to Poly(I:C)-induced liver injury in NK cell- and IFN-gamma-dependent manner. *J Hepatol.* 2007 Aug;47(2):183-90.
- Cai H, Yin D, Zhang L, Yang X, Xu X, Liu W, Zheng X, Zhang H, Wang J, Xu Y, Cheng D, Zheng M, Han Y, Wu M, Wang Y. Preparation and biological evaluation of 2-amino-6-[18F]fluoro-9-(4-hydroxy-3-hydroxy-methylbutyl) purine (6-[18F]FPCV) as a novel PET probe for imagingHSV1-tk reporter gene expression. *Nucl Med Biol.*2007 Aug;34(6):717-25.
- Zhang JQ, Zhao XK, He J, Zhu L, Wang XJ. Express and role of FGFR2 in bladder transitional cell carcinoma. *China Medical Engineering.* 2007;9:720-725.
- Liu Z, Sun L, Zhu L, Jia X, Li X, Jia H, Wang Y, Weber P, Long J, Liu J. Hydroxytyrosol protects retinal pigment epithelial cells from acrolein-induced oxidative stress and mitochondrial dysfunction. *J Neurochem.* 2007 Dec;103(6):2690-700.
- Meng L, Huang M, Ye X, Fan M, Bian Z. Increased expression of collagen prolyl 4-hydroxylases in Chinese patients with hereditary gingival fibromatosis. *Arch Oral Biol.*2007 Dec;52(12):1209-14.
- Dong X, Wang JN, Huang YZ, Guo LY, Kong X. Cell-penetrating Peptide PEP-1-mediated Transduction of Enhanced Green Fluorescent Protein into Human Colorectal Cancer SW480 Cells. *Chinese Journal of Cancer.*2007;26(2):216- 219.
- Cheng BQ, Jiang B, Bao J. Construction and expression of galectin-3 shRNA recombinant vector and its effect on proliferation rate of colorectal cancer lovo cells. *J Fourth MilMed Univ.* 2007, 28(11):1014-1017.
- Guo M, Huang T, Cui Y, Pan B, Shen A, Sun Y, Yi Y, Wang Y, Xiao G, Sun G. PrPC interacts with tetraspanin-7 through bovine PrP154-182 containing alpha-helix 1. *Biochem Biophys Res Commun.*2008 Jan 4;365(1):154-7.

17. He Z, Sun X, Mei G, Yu S, Li N. Nonclassical secretion of human catalase on the surface of CHO cells is more efficient than classical secretion. *Cell Biol Int*.2008 Apr;32(4):367-73.
18. Tang Z, Zhao M, Li C, Wang Y, Peng S. Polyaspartoyl-L-arginine inhibits platelet aggregation through stimulation of NO release from endothelial cells. *Eur J Pharmacol*.2008 Jun 24;588(1):41-6.
19. Fang Z, Cao W, Li S, Wang Q, Li C, Xie L, Zhang R. Significance of the C-terminal globular domain and the extra tail of the calmodulin-like protein (*Pinctada fucata*) in subcellular localization and protein-protein interaction. *Cell Biol Int*.2008 Aug;32(8):920-7.
20. Wei Y, Weng D, Li F, Zou X, Young DO, Ji J, Shen P. Involvement of JNK regulation in oxidative stress-mediated murine liver injury by microcystin-LR. *Apoptosis*.2008 Aug;13(8):1031-42.
21. He Z, Yu S, Mei G, Zheng M, Wang M, Dai Y, Tang B, Li N. Maternally transmitted milk containing recombinant human catalase provides protection against oxidation for mouse offspring during lactation. *Free Radic Biol Med*.2008 Oct 15;45(8):1135-42.
22. Zhai DX, Kong QF, Xu WS, Bai SS, Peng HS, Zhao K, Li GZ, Wang DD, Sun B, Wang JH, Wang GY, Li HL. RAGE expression is up-regulated in human cerebral ischemia and pMCAO rats. *Neurosci Lett*.2008 Nov 7;445(1):117-21.
23. Tang Z, Yang J, Liu X, Wang Y, Peng S. Polyaspartoyl-L-arginine enhances prostacyclin synthesis in rat aortic endothelial cells. *Eur J Pharmacol*.2008 Dec 28;601(1-3):124-8.
24. Nie W, Yan H, Li S, Zhang Y, Yu F, Zhu W, Fan F, Zhu J. Angiotensin-(1-7) enhances angiotensin II induced phosphorylation of ERK1/2 in mouse bone marrow-derived dendritic cells. *Mol Immunol*.2009 Jan;46(3):355-61.
25. Fang Z, Wang Q, Cao W, Feng Q, Li C, Xie L, Zhang R. Investigation of phosphorylation site responsible for CaLP (*P.fucata*) nucleo-cytoplasmic shuttling triggered by overexpression of p21Cip1. *Mar Biotechnol (NY)*.2009 Mar-Apr;11(2):270-9.
26. Qin ZX, Zhu HY, Hu YH. Effects of lysophosphatidylcholine on beta-amyloid-induced neuronal apoptosis. *Acta Pharmacol Sin*.2009 Apr;30(4):388-95.
27. Dong C, Wang Y, Zhu YZ. Asymmetric synthesis and biological evaluation of Danshensu derivatives as anti-myocardial ischemia drug candidates. *Bioorg Med Chem*.2009 May 1;17(9):3499-507.
28. Xiao X, Liu A, Wen H, Tian Y, Ni J, Liu G. Expression and localization of transcription factor Ets-1 in the rat ovary during the estrous cycle and pregnancy. *Fertil Steril*.2009 May;91(5 Suppl):1998-2005.
29. Song L, Kong M, Ma Y, Ba M, Liu Z. Inhibitory effect of 8-(3-chlorostyryl) caffeine on levodopa-induced motor fluctuation is associated with intracellular signaling pathway in 6-OHDA-lesioned rats. *Brain Res*.2009 Jun 18;1276:171-9.
30. Zhang DL, Chen YQ, Jiang X, Ji TT, Mei B. Oxidative damage increased in presenilin1/presenilin2 conditional double knockout mice. *Neurosci Bull*.2009 Jun;25(3):131-7.
31. Liu RT, Zou LB, Lü QJ. Liquiritigenin inhibits Abeta(25-35)-induced neurotoxicity and secretion of Abeta(1-40) in rat hippocampal neurons. *Acta Pharmacol Sin*.2009 Jul;30(7):899-906.
32. Liu J, Zhou R, He Q, Li WI, Zhang T, Niu B, Zheng X, Xie J. Calmodulin kinase II activation of mitogen-activated protein kinase in PC12 cell following all-trans retinoic acid treatment. *Neurotoxicology*. 2009 Jul; 30(4):599-604.
33. Wang XD, Meng MX, Gao LB, Liu T, Xu Q, Zeng S. Permeation of astilbin and taxifolin in Caco-2 cell and their effects on the P-gp. *Int J Pharm*.2009 Aug 13;378(1-2):1-8.
34. Wang S, Sun X, Ding F, Zhang K, Zhao R, Li S, Li R, Tang B, Zhang L, Liu Y, Li J, Gao F, Wang H, Wang L, Dai Y, Li N. Removal of selectable marker gene from fibroblast cells in transgenic cloned cattle by transient expression of Cre recombinase and subsequent effects on recombined embryo development. *Theriogenology*.2009 Sep 1;72(4):535-41.
35. Wang YF, Wang XY, Ren Z, Qian CW, Li YC, Kaio K, Wang QD, Zhang Y, Zheng LY, Jiang JH, Yang CR, Liu Q, Zhang YJ, Wang YF. Phyllaemblicin B inhibits Coxsackie virus B3 induced apoptosis and myocarditis. *Antiviral Res*. 2009 Nov;84(2):150-8.
36. Hang PZ, Zhao J, Wang YP, Sun LH, Zhang Y, Yang LL, Zhao N, Sun ZD, Mao YY, Du ZM. Reciprocal regulation between M3 muscarinic acetylcholine receptor and protein kinase C-epsilon in ventricular myocytes during myocardial ischemia in rats. *Naunyn Schmiedebergs Arch Pharmacol*. 2009 Nov;380(5):443-50.
37. Li H, Zhang L, Huang Q. Differential expression of mitogen-activated protein kinase signaling pathway in the hippocampus of rats exposed to chronic unpredictable stress. *Behav Brain Res*. 2009 Dec 14;205(1):32-7.
38. Xu SB, Liu XH, Li BH, Zhang Y, Yuan J, Yuan Q, Li PD, Yang XZ, Li F, Zhang WJ. DNA methylation regulates constitutive expression of Stat6 regulatory genes SOCS-1 and SHP-1 in colon cancer cells. *J Cancer Res Clin Oncol*. 2009 Dec;135(12):1791-8.
39. Yu X, Huang Y, Hu Q, Ma L. Hyperhomocysteinemia stimulates hepatic glucose output and PEPCK expression. *Acta Biochim Biophys Sin (Shanghai)*. 2009;41(12):1027-32.
40. Li J, Tian T, Wang XY, Li F, Ren GS. Expression and Clinical Significance of REGγ in Gastric Cancer Tissue and Various Differentiated Gastric Cancer Cell Lines. *Clin Oncol Cancer Res*. 2009(6):208-213.
41. Chen Y, Wang J, Yao Y, Yuan W, Kong M, Lin Y, Geng D, Nie R. CRP regulates the expression and activity of tissue factor as well as tissue factor pathway inhibitor via NF-kappaB and ERK 1/2 MAPK pathway. *FEBS Lett*. 2009;583(17):2811-8.
42. Sun ZW, Zhang L, Zhu SJ, Chen WC, Mei B. Excitotoxicity effects of glutamate on human neuroblastoma SH-SY5Y cells via oxidative damage. *Neurosci Bull*. 2010;26(1):8-16.
43. Cao BY, Yang YP, Luo WF, Mao CJ, Han R, Sun X, Cheng J, Liu CF. Paconiflorin, a potent natural compound, protects PC12 cells from MPP+ and acidic damage via autophagic pathway. *J Ethnopharmacol*. 2010;131(1):122-9.
44. Wang YX, Xu XY, Su WL, Wang Q, Zhu WX, Chen F, Jin G, Liu YJ, Li YD, Sun YP, Gao WC, Ruan CP. Activation and Clinical Significance of p38 MAPK Signaling Pathway in Patients With Severe Trauma. *J Surg Res*. 2010 Jun 1;161(1):119-25.
45. Liu J, Wang A, Li L, Huang Y, Xue P, Hao A. Oxidative stress mediates hippocampal neuron death in rats after lithium-pilocarpine-induced status epilepticus. *Seizure*. 2010;19(3):165-72.
46. Li C, Xing G, Dong M, Zhou L, Li J, Wang G, Zou D, Wang R, Liu J, Niu Y. Beta-asarone protection against beta-amyloid-induced neurotoxicity in PC12 cells via JNK signaling and modulation of Bcl-2 family proteins. *Eur J Pharmacol*. 2010;635(1-3):96-102.
47. Li H, Zhang L, Fang Z, Lin L, Wu C, Huang Q. Behavioral and neurobiological studies on the male progeny of maternal rats exposed to chronic unpredictable stress before pregnancy. *Neurosci Lett*. 2010;469(2):278-82.
48. Qian J, Zhai A, Kao W, Li Y, Song W, Fu Y, Chen X, Zhang Q, Wu J, Li H, Zhong Z, Ling H, Zhang F. Modulation of miR-122 on persistently Borna disease virus infected human oligodendroglial cells. *Antiviral Res*. 2010;87(2):249-56.
49. Chen W, Hou J, Yin Y, Jang J, Zheng Z, Fan H, Zou G. alpha-Bisabolol induces dose- and time-dependent apoptosis in HepG2 cells via a Fas- and mitochondrial-related pathway, involves p53 and NFkappaB. *Biochem Pharmacol*. 2010;80(2):247-54.
50. Li XC, Tong GX, Zhang Y, Liu SX, Jin QH, Chen HH, Chen P. Neferine inhibits angiotensin II-stimulated proliferation in vascular smooth muscle cells through heme oxygenase-1. *Acta Pharmacol Sin*. 2010; 31(6):679-86.
51. Tu XK, Yang WZ, Wang CH, Shi SS, Zhang YL, Chen CM, Yang YK, Jin CD, Wen S. Zileuton reduces inflammatory reaction and brain damage following permanent cerebral ischemia in rats. *Inflammation*. 2010;33(5):344-52.
52. Sheng R, Gu ZL, Xie ML, Zhou WX, Guo CY. Epigallocatechin gallate protects H9c2 cardiomyoblasts against hydrogen dioxides- induced apoptosis and telomere attrition. *Eur J Pharmacol*. 2010; 641(2-3):199-206.
53. Chen X, Tang W, Liu S, Yu L, Chen Z. Thioredoxin-1 phosphorylated at T100 is needed for its anti-apoptotic activity in HepG2 cancer cells. *Life Sci*. 2010;87(7-8):254-60.
54. Feng Z, Liu Z, Li X, Jia H, Sun L, Tian C, Jia L, Liu J. α-Tocopherol is an effective Phase II enzyme inducer: protective effects on acrolein-induced oxidative stress and mitochondrial dysfunction in human retinal pigment epithelial cells. *J Nutr Biochem*. 2010; 21(12):1222-31.
55. Han H, Cui ZQ, Wang W, Zhang ZP, Wei HP, Zhou YF, Zhang XE. New regulatory mechanisms for the intracellular localization and trafficking of influenza A virus NS1 protein revealed by comparative analysis of A/PR/8/34 and A/Sydney/5/97. *J Gen Virol*. 2010 Dec; 91(Pt 12):2907-17.
56. Li Y, Wang J, Liu J, Liu F. A novel system for in vivo neprilysin gene delivery using a syringe electrode. *J Neurosci Methods*. 2010 Nov

- 30;193(2):226-31.
57. Lu B, Hu M, Liu K, Peng J. Cytotoxicity of berberine on human cervical carcinoma HeLa cells through mitochondria, deathreceptor and MAPK pathways, and in-silico drug-target prediction. *Toxicol In Vitro*. 2010 Sep;24(6):1482-90.
 58. Wang S, Lv X, Zhang K, Lin T, Liu X, Yuan J, Dai Y, Li N. Knockdown of the prion gene expression by RNA interference in bovine fibroblast cells. *Mol Biol Rep*. 2010 Oct;37(7):3193-8.
 59. Ji YB, Qu ZY, Zou X. Juglone-induced apoptosis in human gastric cancer SGC-7901 cells via the mitochondrial pathway. *Exp Toxicol Pathol*. 2011 Jan;63(1-2):69-78.
 60. Sun YL, Ping ZG, Li CJ, Sun YF, Yi KL, Chen L, Li XY, Wang XL, Zhou X. Comparative proteomic analysis of follicular fluids from normal and cystic follicles in sows. *Reprod Domest Anim*. 2011 Oct;46(5):889-95.
 61. Mo R, Jin X, Li N, Ju C, Sun M, Zhang C, Ping Q. The mechanism of enhancement on oral absorption of paclitaxel by N-octyl-O-sulfate chitosanmicelles. *Biomaterials*. 2011 Jul;32(20):4609-20.
 62. Xu B, Sun Z, Liu Z, Guo H, Liu Q, Jiang H, Zou Y, Gong Y, Tischfield JA, Shao C. Replication stress induces micronuclei comprising of aggregated DNA double-strand breaks. *PLoS One*. 2011 Apr 15;6(4):e18618.
 63. Mao J, Xu B, Li H, Chen L, Jin X, Zhu J, Wang W, Zhu L, Zuo W, Chen W, Wang L. Lack of association between stretch-activated and volume-activated Cl⁻ currents in hepatocellularcarcinoma cells. *J Cell Physiol*. 2011 May;226(5):1176-85.
 64. Zhang R, Shi H, Chen Z, Wu Q, Ren F, Huang H. Effects of metastasis-associated in colon cancer 1 inhibition by small hairpin RNA on ovariancarcinoma OVCAR-3 cells. *J Exp Clin Cancer Res*. 2011 Sep 16;30:83.
 65. Zhang X, Li J, Chen C, Ci X, Yu Q, Zhang X, Deng X. Protective effect of abamectin on acute lung injury induced by lipopolysaccharide in mice. *Fundam Clin Pharmacol*. 2011 Dec;25(6):700-7.
 66. Li X, Lian LH, Bai T, Wu YL, Wan Y, Xie WX, Jin X, Nan JX. Cryptotanshinone inhibits LPS-induced proinflammatory mediators via TLR4 and TAK1 signalingpathway. *Int Immunopharmacol*. 2011 Nov;11(11):1871-6.
 67. Liu C, Shi Y, Li H, Wang Y, Yang K. p,p'-DDE disturbs the homeostasis of thyroid hormones via thyroid hormone receptors, transthyretin, and hepatic enzymes. *Horm Metab Res*. 2011 Jun;43(6):391-6.
 68. Yang L, Li W, Tian Z, Zhao J, Wang C. Mononaphthalimide spermidine conjugate induces cell proliferation inhibition and apoptosis in HeLa cells. *Toxicol In Vitro*. 2011 Jun;25(4):882-9.
 69. Cai X, You P, Cai J, Yang X, Chen Q, Huang F. ART-induced biophysical and biochemical alterations of Jurkat cell membrane. *icron*. 2011 Jan;42(1):17-28.
 70. Wang W, Chen X, Li X, Wang L, Zhang H, He Y, Wang J, Zhao Y, Zhang B, Xu Y. Interference RNA-based silencing of endogenous SMAD4 in porcine granulosa cells resulted in decreased FSH-mediated granulosa cells proliferation and steroidogenesis. *Reproduction*. 2011 May;141(5):643-51.
 71. Chu D, Du M, Hu X, Wu Q, Shen J. Paeoniflorin attenuates schistosomiasis japonica-associated liver fibrosis through inhibiting alternative activation of macrophages. *Parasitology*. 2011 Sep;138(10):1259-71.
 72. Tang DQ, Wei YQ, Yin XX, Lu Q, Hao HH, Zhai YP, Wang JY, Ren J. In vitro suppression of quercetin on hypertrophy and extracellular matrix accumulation in rat glomerular mesangial cells cultured by high glucose. *Fitoterapia*. 2011 Sep;82(6):920-6.
 73. Li G, He L, Zhang E, Shi J, Zhang Q, Le AD, Zhou K, Tang X. Overexpression of human papillomavirus (HPV) type 16 oncoproteins promotes angiogenesis via enhancing HIF-1 α and VEGF expression in non-small cell lung cancer cells. *Cancer Lett*. 2011 Dec 8;311(2):160-70.
 74. Tang DQ, Wei YQ, Gao YY, Yin XX, Yang DZ, Mou J, Jiang XL. Protective effects of rutin on rat glomerular mesangial cells cultured in high glucose conditions. *Phytother Res*. 2011 Nov;25(11):1640-7.
 75. Liu RT, Tang JT, Zou LB, Fu JY, Lu QJ. Liquiritigenin attenuates the learning and memory deficits in an amyloid protein precursor transgenic mouse model and the underlying mechanisms. *Eur J Pharmacol*. 2011 Nov 1;669(1-3):76-83.
 76. Zhao P, Han T, Guo JJ, Zhu SL, Wang J, Ao F, Jing MZ, She YL, Wu ZH, Ye LB. HCV NS4B induces apoptosis through the mitochondrial death pathway. *Virus Res*. 2012 Oct;169(1):1-7.
 77. Yan J, Feng Z, Liu J, Shen W, Wang Y, Wertz K, Weber P, Long J, Liu J. Enhanced autophagy plays a cardinal role in mitochondrial dysfunction in type 2 diabetic Goto-Kakizaki (GK) rats: ameliorating effects of (-)-epigallocatechin-3-gallate. *J Nutr Biochem*. 2012 Jul;23(7):716-24.
 78. Cui B, Tao J, Yang Y. Studies on the expression patterns of class I PI3K catalytic subunits and its prognostic significance in colorectal cancer. *Cell Biochem Biophys*. 2012 Jan;62(1):47-54.
 79. Wei M, Chu X, Jiang L, Yang X, Cai Q, Zheng C, Ci X, Guan M, Liu J, Deng X. Protocatechuic acid attenuates lipopolysaccharide-induced acute lung injury. *Inflammation*. 2012 Jun;35(3):1169-78.
 80. Liu T, Cheng W, Huang Y, Huang Q, Jiang L, Guo L. Human amniotic epithelial cell feeder layers maintain human iPS cell pluripotency via inhibited endogenous microRNA-145 and increased Sox2 expression. *Exp Cell Res*. 2012 Feb 15;318(4):424-34.
 81. Chen X, Yang X, Liu T, Guan M, Feng X, Dong W, Chu X, Liu J, Tian X, Ci X, Li H, Wei J, Deng Y, Deng X, Chi G, Sun Z. Kaempferol regulates MAPKs and NF- κ B signaling pathways to attenuate LPS-induced acute lung injury in mice. *Int Immunopharmacol*. 2012 Jul 23;14(2):209-216.
 82. Li XL, Kang Y, Zhang XY, Zhu BL, Fang WH. Identification of a heat shock cognate protein 70 gene in Chinese soft-shell turtle (*Pelodiscussinensis*) and its expression profiles under thermal stress. *J Zhejiang Univ Sci B*. 2012 Jun;13(6):465-77.
 83. Liu H, Yang M, Qiu GP, Zhuo F, Yu WH, Sun SQ, Xiu Y. Aquaporin 9 in rat brain after severe traumatic brain injury. *Arq Neuropsiquiatr*. 2012 Mar;70(3):214-20.
 84. Zhao Q, Zhang C, Wang X, Chen L, Ji H, Zhang Y. (S)-ZJM-289, a nitric oxide-releasing derivative of 3-n-butylphthalide, protects against ischemic neuronal injury by attenuating mitochondrial dysfunction and associated cell death. *Neurochem Int*. 2012 Jan;60(2):134-44.
 85. Liu F, Li XL, Lin T, He DW, Wei GH, Liu JH, Li LS. The cyclophosphamide metabolite, acrolein, induces cytoskeletal changes and oxidative stress in Sertoli cells. *Mol Biol Rep*. 2012 Jan;39(1):493-500.
 86. Jiang N, Jin X, He J, Yin Z. The Roles of follistatin 1 in Regulation of Zebrafish Fecundity and Sexual Differentiation. *Biol Reprod*. 2012 Sep 7;87(3):54.
 87. Liu J, Peng Y, Cui Z, Wu Z, Qian A, Shang P, Qu L, Li Y, Liu J, Long J. Depressed mitochondrial biogenesis and dynamic remodeling in mouse tibialis anterior and gastrocnemius induced by 4-week hindlimb unloading. *IUBMB Life*. 2012 Nov;64(11):901-10.
 88. Wang X, Huang Y, Li L, Wei Q. TRAF3 negatively regulates calcineurin-NFAT pathway by targeting calcineurin B subunit for degradation. *IUBMB Life*. 2012 Sep;64(9):748-56.
 89. Chu X, Wei M, Yang X, Cao Q, Xie X, Guan M, Wang D, Deng X. Effects of an anthraquinone derivative from *Rheum officinale* Baill, emodin, on airway responses in a murine model of asthma. *Food Chem Toxicol*. 2012 Jul;50(7):2368-75.
 90. Ren J, Cheng H, Xin WQ, Chen X, Hu K. Induction of apoptosis by 7-piperazinethylchrysin in HCT-116 human colon cancer cells. *Oncol Rep*. 2012 Nov;28(5):1719-26.
 91. Li R, Hou J, Xu Q, Liu QJ, Shen YJ, Rodin G, Li M. High level interleukin-6 in the medium of human pancreatic cancer cell culture suppresses production of neurotransmitters by PC12 cell line. *Metab Brain Dis*. 2012 Mar;27(1):91-100.
 92. Lin S, Zhang J, Xu J, Wang H, Sang Q, Xing Q, He L. Effects of SASH1 on melanoma cell proliferation and apoptosis in vitro. *Mol Med Rep*. 2012 Dec;6(6):1243-8.
 93. Ma WY, Zhuang L, Cai DX, Zhong H, Zhao C, Sun Q. Inverse correlation between caveolin-1 expression and clinical severity in psoriasis vulgaris. *J Int Med Res*. 2012;40(5):1745-51.
 94. Zhang Y, Li Y, Li Q. Inhibition of Cytochrome P450 3A1/2 by Organotin Compound Di-N-Butyl-(4-chlorobenzohydroxamate)tin (IV) Chloride in Rat Liver and BRL Cells. *Advanced Materials Research*. 2011 Oct;356-360:681-7.
 95. Liu F, Chen Y, Yang B, Wang J, Peng Q, Shao Q, Li X, Beerntsen BT, Xu Y, Li J, Yu XQ, Ling E. *Drosophila melanogaster* prophenoloxidases respond inconsistently to Cu²⁺ and have different activity in vitro. *Dev Comp Immunol*. 2012 Mar;36(3):619-28.
 96. Zou X, Feng Z, Li Y, Wang Y, Wertz K, Weber P, Fu Y, Liu J. Stimulation of GSH synthesis to prevent oxidative stress-induced apoptosis by hydroxytyrosol in human retinal pigment epithelial cells: activation of Nrf2 and JNK-p62/SQSTM1 pathways. *J Nutr Biochem*. 2012 Aug;23(8):994-1006.
 97. Chu X, Ci X, He J, Jiang L, Wei M, Cao Q, Guan M, Xie X, Deng X, He

- J. Effects of a natural prolyl oligopeptidase inhibitor, rosmarinic acid, on lipopolysaccharide-induced acute lung injury in mice. *Molecules*. 2012 Mar 22;17(3):3586-98.
98. Ding F, Shao ZW, Yang SH, Wu Q, Gao F, Xiong LM. Role of mitochondrial pathway in compression-induced apoptosis of nucleus pulposus cells. *Apoptosis*. 2012 Jun;17(6):579-90.
99. Zhang R, Shi H, Chen Z, Feng W, Zhang H, Wu K. Effects of kallikrein-related peptidase 14 gene inhibition by small interfering RNA in ovarian carcinoma cells. *Mol Med Rep*. 2012 Jan;5(1):256-9.
100. Ren J, Zhao J, Zhou Y, Liu X, Chen X, Hu K. Synthesis and antitumor activity of novel 4-aminoquinoline derivatives *Medicinal Chemistry Research*. 2013 Jun;Vol 22(6):2855-61.
101. Mao J, Yuan J, Wang L, Zhang H, Jin X, Zhu J, Li H, Xu B, Chen L. Tamoxifen inhibits migration of estrogen receptor-negative hepatocellular carcinoma cells by blocking the swelling-activated chloride current. *J Cell Physiol*. 2013 May;228(5):991-1001.
102. Liu F, Sun GQ, Gao HY, Li RS, Soromou LW, Chen N, Deng YH, Feng HH. Angelicin regulates LPS-induced inflammation via inhibiting MAPK/NF- κ B pathways. *J Surg Res*. 2013 Nov;185(1):300-9.
103. Miao Y, Zhou J, Zhao M, Liu J, Sun L, Yu X, He X, Pan X, Zang W. Acetylcholine attenuates hypoxia/reoxygenation-induced mitochondrial and cytosolic ROS formation in H9c2 cells via M2 acetylcholine receptor. *Cell Physiol Biochem*. 2013;31(2-3):189-98.
104. Bai T, Lian LH, Wu YL, Wan Y, Nan JX. Thymoquinone attenuates liver fibrosis via PI3K and TLR4 signaling pathways in activated hepatic stellate cells. *Int Immunopharmacol*. 2013 Feb;15(2):275-81.
105. Lian LH, Jin Q, Song SZ, Wu YL, Bai T, Jiang S, Li Q, Yang N, Nan JX. Ginsenoside Rh2 Downregulates LPS-Induced NF- κ B Activation through Inhibition of TAK1 Phosphorylation in RAW 264.7 Murine Macrophage. *Evid Based Complement Alternat Med*. 2013;2013:646728.
106. Sun J, Fan L, Li M, Zhang Y, Cheng N. Decreasing Pin1 suppresses telomerase activity by NF- κ B in HCT116 cells colorectal carcinoma. *The Chinese-German Journal of Clinical Oncology*. 2013 Apr; Vol 12(4):181-187.
107. Qing Y, Liang Y, Du Q, Fan P, Xu H, Xu Y, Shi N. Apoptosis induced by Trimethyltin chloride in human neuroblastoma cells SY5Y is regulated by a balance and cross-talk between NF- κ B and MAPKs signaling pathways. *Arch Toxicol*. 2013 Jul;87(7):1273-85.
108. Li Z, Zhang L, Zhao Y, Li H, Xiao H, Fu R, Zhao C, Wu H, Li Z. Cell-surface GRP78 facilitates colorectal cancer cell migration and invasion. *Int J Biochem Cell Biol*. 2013 May;45(5):987-94.
109. Liu Y, Zhu Z, Xiong Z, Zheng J, Hu Z, Qiu J. Knockdown of protein tyrosine phosphatase receptor U inhibits growth and motility of gastric cancer cells. *Int J Clin Exp Pathol*. 2014 Aug 15;7(9):5750-61.
110. Duan W, Guo Y, Xiao J, Chen X, Li Z, Han H, Li C. Neuroprotection by monocarbonyl dimethoxycurcumin C: ameliorating the toxicity of mutant TDP-43 via HO-1. *Mol Neurobiol*. 2014 Feb;49(1):368-79.
111. Ge C, Song J, Chen L, Wang L, Chen Y, Liu X, Zhang Y, Zhang L, Zhang M. Atheroprotective pulsatile flow induces ubiquitin-proteasome-mediated degradation of programmed cell death 4 in endothelial cells. *PLoS One*. 2014 Mar 13;9(3):e91564.
112. Li Z, Wang Y, Wu H, Zhang L, Yang P, Li Z. GRP78 enhances the glutamine metabolism to support cell survival from glucose deficiency by modulating the β -catenin signaling. *Oncotarget*. 2014 Jul 30; 5(14):5369-80.
113. Li P, Ji M, Lu F, Zhang J, Li H, Cui T, Li Wang X, Tang D, Ji C. Degradation of AF1Q by chaperone-mediated autophagy. *Exp Cell Res*. 2014 Sep 10;327(1):48-56.
114. Wang J, Wang H, Zhang Y, Zhen N, Zhang L, Qiao Y, Weng W, Liu X, Ma L, Xiao W, Yu W, Chu Q, Pan Q, Sun F. Mutual inhibition between YAP and SRSF1 maintains long non-coding RNA, Malat1-induced tumorigenesis in liver cancer. *Cell Signal*. 2014 May;26(5):1048-59.
115. Zhang JW, Zhang SS, Song JR, Sun K, Zong C, Zhao QD, Liu WT, Li R, Wu MC, Wei LX. Autophagy inhibition switches low-dose camptothecin-induced premature senescence to apoptosis in human colorectal cancer cells. *Biochem Pharmacol*. 2014 Aug 1;90(3):265-75.
116. Liu SS, Wang XP, Li XB, Liang JY, Liu LL, Lu Y, Zhong XY, Chen YX. Zoledronic acid exerts antitumor effects in NB4 acute promyelocytic leukemia cells by inducing apoptosis and S phase arrest. *Biomed Pharmacother*. 2014 Oct;68(8):1031-6.
117. Zheng A, Li H, Wang X, Feng Z, Xu J, Cao K, Zhou B, Wu J, Liu J. Anticancer Effect of a Curcumin Derivative B63: ROS Production and Mitochondrial Dysfunction. *Curr Cancer Drug Targets*. 2014 Feb; 14(2):156-66.
118. Zhao L, Zou X, Feng Z, Luo C, Liu J, Li H, Chang L, Wang H, Li Y, Long J, Gao F, Liu J. Evidence for association of mitochondrial metabolism alteration with lipid accumulation in aging rats. *Exp Gerontol*. 2014 Aug;56:3-12.
119. Miao CG, Yang YY, He X, Huang C, Huang Y, Qin D, Du CL, Li J. MicroRNA-152 modulates the canonical Wnt pathway activation by targeting DNA methyltransferase 1 in arthritic rat model. *Biochimie*. 2014 Nov;106:149-56.
120. Ren J, Jiang H, Zhao J, Xin W, Xu Y, Chen X, Hu K. DMPPQA, a novel angiogenesis inhibitor, induces apoptosis in human colon cancer HCT-116 cells and HUVECs. *Cell Biol Int*. 2014 Mar;38(3):343-54.
121. An P, Ding Y, Wang A, Tan W, Gao F, Fan A, Tang B, Zhang X, Li Z. Effects of WT1 gene downregulation on apoptosis in porcine fetal fibroblasts. *In Vitro Cell Dev Biol Anim*. 2014 Jun;50(6):555-61.
122. Wang C, Pan Y, Zhang R, Bai B, Chen J, Randeve HS. Heterodimerization of mouse orexin type 2 receptor variants and the effects on signal transduction. *Biochim Biophys Acta*. 2014 Mar; 1843(3):652-63.
123. Yu Y, Li Y, Zhang Y. Screening of APP interaction proteins by DUALmembrane yeast two-hybrid system. *Int J Clin Exp Pathol*. 2015 Mar 1;8(3):2802-8.
124. Liu YJ, Du JL, Cao LP, Jia R, Shen YJ, Zhao CY, Xu P, Yin GJ. Anti-inflammatory and hepatoprotective effects of Ganoderma lucidum polysaccharides on carbon tetrachloride-induced hepatocyte damage in common carp (*Cyprinus carpio* L.). *Int Immunopharmacol*. 2015 Mar; 25(1):112-20.
125. Zheng C, Zheng Z, Zhang Z, Meng J, Liu Y, Ke X, Hu Q, Wang H. IFIT5 positively regulates NF- κ B signaling through synergizing the recruitment of I κ B kinase (IKK) to TGF- β -activated kinase 1 (TAK1). *Cell Signal*. 2015 Dec;27(12):2343-54.
126. Yang X, Li Y, He Y, Li T, Wang W, Zhang J, Wei J, Deng Y, Lin R. Cordycepin alleviates airway hyperreactivity in a murine model of asthma by attenuating the inflammatory process. *Int Immunopharmacol*. 2015 Jun;26(2):401-8.
127. Wang D, Ma Y, Yang X, Xu X, Zhao Y, Zhu Z, Wang X, Deng H, Li C, Gao F, Tong J, Yamanaka K, An Y. Hypermethylation of the Keap1 gene inactivates its function, promotes Nrf2 nuclear accumulation, and is involved in arsenite-induced human keratinocyte transformation. *Free Radic Biol Med*. 2015 Dec;89:209-19.
128. Yang X, Wang D, Ma Y, Xu X, Zhu Z, Wang X, Deng H, Li C, Chen M, Tong J, Yamanaka K, An Y. Continuous activation of Nrf2 and its target antioxidant enzymes leads to arsenite-induced malignant transformation of human bronchial epithelial cells. *Toxicol Appl Pharmacol*. 2015 Dec 1; 289(2):231-9.
129. Zhao S, Deng C, Wang Z, Teng L, Chen J. Heparan sulfate 6-O-sulfotransferase 3 is involved in bone marrow mesenchymal stromal cell osteogenic differentiation. *Biochemistry (Mosc)*. 2015 Mar; 80(3):379-89.
130. Zhou J, Feng JY, Wang Q, Shang J. Calcitonin gene-related peptide cooperates with substance P to inhibit melanogenesis and induces apoptosis of B16F10 cells. *Cytokine*. 2015 Jul;74(1):137-44.
131. Peng Y, Fu ZZ, Guo CS, Zhang YX, Di Y, Jiang B, Li QW. Effects and Mechanism of Baicalin on Apoptosis of Cervical Cancer HeLa Cells *In vitro*. *Iran J Pharm Res*. 2015 Winter;14(1):251-61.
132. Ge P, Cui Y, Liu F, Luan J, Zhou X, Han J. L-carnitine affects osteoblast differentiation in NIH3T3 fibroblasts by the IGF-1/PI3K/Akt signalling pathway. *Biosci Trends*. 2015 Feb;9(1):42-8.
133. Miao CG, Qin D, Du CL, Ye H, Shi WJ, Xiong YY, Zhang XL, Yu H, Dou JF, Ma ST, Qin MS, Liu HZ, Fang YX, Zhou GL, Chen JZ, He X, Huang C, Huang Y, Zhang B, Song TW, Li J. DNMT1 activates the canonical Wnt signaling in rheumatoid arthritis model rats via a crucial functional crosstalk between miR-152 and the DNMT, MeCP2. *Int Immunopharmacol*. 2015 Sep;28(1):344-53.
134. Liu C, Li L, Ha M, Qi S, Duan P, Yang K. The PI3K/Akt and ERK pathways elevate thyroid hormone receptor β 1 and TRH receptor to decrease thyroid hormones after exposure to PCB153 and p,p'-DDE. *Chemosphere*. 2015 Jan;118:229-38.
135. Lv J, Fan N, Wang Y, Wang X, Gao C. Identification of Differentially Expressed Proteins of Normal and Cancerous Human Colorectal Tissues by Liquid Chromatograph-Mass Spectrometer Based on iTRAQ Approach. *Cancer Invest*. 2015 Oct 21;33(9):420-8.
136. Liu T, Qin W, Hou L, Huang Y. MicroRNA-17 promotes normal ovarian

- cancer cells to cancer stem cells development via suppression of the LKB1-p53-p21/WAF1 pathway. *Tumour Biol.* 2015 Mar;36(3):1881-93.
137. Miao CG, Shi WJ, Xiong YY, Yu H, Zhang XL, Qin MS, Du CL, Song TW, Zhang B, Li J. MicroRNA-663 activates the canonical Wnt signaling through the adenomatous polyposis coli suppression. *Immunol Lett.* 2015 Jul;166(1):45-54.
138. Wang J, Wei R, Bou G, Liu Z. Tbx3 and Nr5α2 improve the viability of porcine induced pluripotent stem cells after dissociation into single cells by inhibiting RHO-ROCK-MLC signaling. *Biochem Biophys Res Commun.* 2015 Jan 16;456(3):743-9.
139. Ma B, Wang Y, Zhou X, Huang P, Zhang R, Liu T, Cui C, Liu X, Wang Y. Synergistic suppression effect on tumor growth of hepatocellular carcinoma by combining oncolytic adenovirus carrying XAF1 with cisplatin. *J Cancer Res Clin Oncol.* 2015 Mar;141(3):419-29.
140. Zhao L, Liu YW, Yang T, Gan L, Yang N, Dai SS, He F. The mutual regulation between miR-214 and A2AR signaling plays an important role in inflammatory response. *Cell Signal.* 2015 Oct;27(10):2026-34.
141. Yun B, Guan X, Liu Y, Gao Y, Wang Y, Qi X, Cui H, Liu C, Zhang Y, Gao L, Li K, Gao H, Gao Y, Wang X. Trypsin-and low pH-mediated fusogenicity of avian metapneumovirus fusion proteins is determined by residues at positions 100, 101 and 294. *Sci Rep.* 2015 Oct 26;5:15584.
142. Hu LF, Li JB, Qian AR, Wang F, Shang P. Mineralization initiation of MC3T3-E1 preosteoblast is suppressed under simulated microgravity condition. *Cell Biol Int.* 2015 Apr;39(4):364-72.
143. Liu H, Zhang W, Tian FF, Kun A, Zhou WB, Xiao B, Li J. IL-35 Is Involved in the Pathogenesis of Guillain-Barré Syndrome Through Its Influence on the Function of CD4+ T Cells. *Immunol Invest.* 2015; 44(6):566-77.
144. Hong Y, Liu S, Lin X, Li J, Yi Z, Al-Rasheid KA. Recognizing the importance of exposure-dose-response dynamics for ecotoxicity assessment: nitrofurazone-induced antioxidase activity and mRNA expression in model protozoan *Euplotes vannus*. *Environ Sci Pollut Res Int.* 2015 Jun;22(12):9544-53.
145. Dou T, Yan M, Wang X, Lu W, Zhao L, Lou D, Wu C, Chang X, Zhou Z. Nrf2/ARE Pathway Involved in Oxidative Stress Induced by Paraquat in Human Neural Progenitor Cells. *Oxid Med Cell Longev.* 2016; 2016:8923860.
146. Yuan Y, Li D, Li H, Wang L, Tian G, Dong Y. YAP overexpression promotes the epithelial-mesenchymal transition and chemoresistance in pancreatic cancer cells. *Mol Med Rep.* 2016 Jan;13(1):237-42.
147. Huang JQ, Ren FZ, Jiang YY, Lei X. Characterization of Selenoprotein M and Its Response to Selenium Deficiency in Chicken Brain. *Biol Trace Elem Res.* 2016 Apr;170(2):449-58.
- 注:** 更多使用本产品的文献请参考产品网页。

Version 2017.10.09